



DDR SDRAM REGISTERED DIMM MODULE, 2.5V 1GByte - 128MX72 AVM7228R38C2266K3-AP

FEATURES

JEDEC DDR 266MHz PC2100 Version 1.0 , Lead Free, RoHS compliant

- Clock frequency: 133MHz with CAS latency 2
- 8K refresh per 64ms
- 256 byte serial EEPROM
- Low active and standby current consumption
- Data input and output masking
- SSTL-2 compatible inputs and outputs
- Programmable burst length: 2, 4, 8
- Programmable CAS latency: 2
- Decoupling capacitors at each memory device
- Programmable burst type: sequential and interleave
- Auto refresh and self refresh capability
- Gold card edge fingers
- Double-sided module
- 53.34mm (2.10 inch) height

DESCRIPTION


The AVM7228R38C2266K3-AP is a Registered DDR SDRAM DIMM module. This module is JEDEC Pinout compatible DDR SDRAM Registered DIMM. The module has all the addresses and control signals buffered to reduce capacitive loading.

The module utilizes a phase lock loop to reduce the capacitive loading on the clock signals and to synchronize all SDRAM input clocks with the system clock. A 256 byte serial EEPROM on board can be used to store module information such as timing, configuration, density, etc.

The AVM7228R38C2266K3-AP memory module is 1GByte and organized as 128MX72 ECC array using (36) 64MX4 DDR SDRAMs in lead free TSSOP II packages.

The module PCB is fabricated using the latest technology design, eight-layer printed circuit board substrate construction with low ESR decoupling capacitors on-board for high reliability and low noise.

PHYSICAL DIMENSIONS



- NOTES: 1- All dimensions are in millimeters (inches)
2- All blue ICs are on the front, and all red ICs are on the back side of the module.
3- The dimensional drawings are for reference only. Refer to the JEDEC document for additional information.

Avant Ordering Guides

AV	M	72	28	R	38	C	2	266	K	3
INVENTORY	MOD. TYPE	ORG.	DENSITY	PARITY	TYPE	VOLT.	FEATURE	SPEED	MODE	REV
AV=AVANT	M = 184-PIN DDR DIMM	72=X72	28 = 128M	R= REGISTERED	53 = 16Mx4x4 (8K)	C = 2.5V	2 = CAS LATENCY 2	266MHz	K = DDR	REV=3

Other options may be available. Call for specific part number information on options not listed.



Avant™ Technology LP., reserves the right to change products or specifications without notice.